





### **PIEZOSURGERY®**

### 

A manifold list of benefits and advantages, which appear during and after surgery:

#### **→ INTRAOPERATIVE ADVANTAGES**

■ Selective Cut Maximum safety for surgeons and patients.

Reduced risk of damaging soft tissues

(dura, nerves and vessels).

■ Micrometric Cut Maximum surgical precision and intra-operative

tactile sensation.

Minimal bone loss through the cutting depth.

■ Cavitation Effect Maximum intra-operative visibility.

Blood-free surgical site.

### ---> POSTOPERATIVE BENEFITS

Healing Better and faster bone healing.

■ Edema Reduced the postoperative swelling

and discomfort.

#### CLINICAL EVIDENCE

- --> "Piezosurgery is a safe tool for selective bone cutting for opening of the internal auditory canal with preservation of facial nerve and hearing fuction in acoustic neurma surgery."

  Acta Neurochir (Wien). 2011 Oct; 153(10):1941-7; discussion 1947. Epub 2011 Jun 27.
- "Piezoelectric device allows surgeons to achieve better results compared to a traditional surgical saw, especially in terms of intraoperative blood loss, postoperative swelling and nerve impairment. This device represents a less aggressive and safer method to perform invasive surgical procedures such as a Le Fort I osteotomy." J Craniomaxillofac Surg. 2014 Mar 20. pii: 51010-5182(14)00080-8. doi:10.1016/j.jcms.2014.02.011.
- "Piezoelectric surgery reduces the impact on soft tissues (vessels and nerves) which lie adjacent to the ares of treatment. Compared to traditional methods it enables optimal healing because it reduces the postsurgery swelling and discomfort." *Minerva Stomatol*. 2012 *May;* 61(5):213-24.








#### ---> MACRO-VIBRATIONS



Bone bur



#### ---> MICRO-VIBRATIONS



Perfect integrity of the osteomized surfaces with a cut which is clean, regular and without imperfections or pigmentation. The bone surface which was cut using the piezoelectric device showed no sign of lesions to the mineralized tissues and presented live osteocytes with no sign of cellular suering. Mediterranea Journal of Sura Med 2001; 9:89-95.

- ----- High surgical control
- ---> Precision and safety
- ----> Clinical and histological advantages

#### → SCIENTIFIC STUDIES


---> Limited surgical


control --- Lack of precision

Osteotomy tissue sections, Gomori trichrome stain.


Histomorphometric analysis performed 15 days after osteotomy with bone saw (Bs), Piezosurgery® medical device (Pm) and the new Piezosurgery® plus device (Pp) shows that the thickness (red dotted line) of the osteotomy (between the 2 blue dotted lines) is significantly higher in Bs with respect to Pm and Pp.

BV/TV % values. The area of newly deposited bone (BV) with respect to the total area (TV) of the osteotomy (expressed as %) is higher with Pm and Pp than with Bs, this difference is not statistically significant.





PIEZOSURGERY® medical



PIEZOSURGERY® plus



mectron

MD MF

PIEZOSURGERY® plus

When it comes to bone surgery, PIEZOSURGERY® doesn't leave much to be desired.

From reconstructive to thoracic surgery –

PIEZOSURGERY® plus and PIEZOSURGERY® flex offer the largest range of applications on the market.


PIEZOSURGERY® plus is the complete device: it comes with nearly every surgical possibility, from maxillofacial surgery to neurosurgery.

#### COMPLETE

- ----- Power joins precision
- ---- High level technology









Maximum efficiency, maximum control, maximum performance - you name it: PIEZOSURGERY® *plus* is the device for everyone who wants everything – and can be used for nearly all surgeries, from reconstructive to thoracic, from maxillofacial to neurosurgery.

Thanks to innovative features like its two different channels with different handpieces, it provides you with perfect results in nearly every surgical field.



- Superior intra-operative control and surgical sensitivity
- Maximum flexibility in creating osteotomy lines

#### CHANNEL 2 – MEDICAL + HANDPIECE

--- Maximum performance with highly mineralised bone

mectron

Piezosurg

PIEZOSURG


--- Maximum efficiency through all the cutting depth

Piezosurgery<sup>®</sup>











ON BOARD PIEZOSURGERY® plus is provided with APC(Automatic Precision Control) software, which guarantees maximum safety. The software automatically recognizes deviations from

normal functioning and stops the device in less than 150 ms. The error message on the screen allows for easy restoration of operating conditions. Two independent handpieces are provided, allowing for greater flexibility and performance during surgery.

---- APC

#### → TOUCH SCREEN

All functions can be managed by the touch screen. Choosing the handpiece, selecting the surgical type, switching from one handpiece to the other is just a touch on the screen.

#### 

PIEZOSURGERY® plus is provided with smart software. For each surgical tip, the software automatically sets the optimal working settings. Power and irrigation levels can also be adjusted manually depending on the surgical needs.

# PIEZOSURGERY® flex THE PERFECT START

It is compact. It is easy to use. It is affordable. However, it comes with all the performance, the perfect control and the outstanding cutting efficiency of mectron PIEZOSURGERY® technology.

Which makes PIEZOSURGERY® *flex* nothing less than the perfect start into state of- the-art bone surgery.



MODE SETTING
Offer the best
surgical performance
for each insert.



The recommended parameters (mode, power and irrigation) always provide the best efficiency for

each insert.

FEEDBACK SYSTEM

Automatically monitors and adjusts the tuning of the vibration frequency for each insert.





## 

During surgery, an ultrasonic insert oscillates up to 36.000 times per second.

That's why we use only medical grade stainless steel in the production of mectron inserts – and why every single ultrasonic insert has to pass 12 working steps before it is ready to bear our name.



#### THERMAL TREATMENTS

Confer raw surgical tips the necessary hardness, corrosion resistance and elastic response to vibration.

### SHARPENING AND SURFACE COATING

A proprietary CNC 5-dimensions sharpening machine cuts with an accuracy of up to 0.1 µm. Depending on the surgical indication, specific surface treatments are made, which include diamond coating with diamonds of different granulometries.

#### → MARKING

Each surgical insert is laser marked. The code is engraved on the shaft of the surgical tips for superior safety.

#### OUALITY CONTROL


Surgical inserts are individually checked throughout the manufacturing process. Checks range from dimensional control of the rough insert to visual inspection of final package.





### **SURGICAL INSERTS MAXIMUM VARIETY**

Osteotomy, Osteoplasty, Drilling, Finishing – PIEZOSURGERY® medical inserts cover a vast variety of surgical needs. And whatever your choice is, there is one thing they all have in common: they offer the best performance you will find in the market.



#### ---> INSERTS DEVELOPMENT

- --- 1. research and collaboration with renowned surgeons
- -> 2. use of a dedicated software simulating the final product to develop the insert's movement with the greatest precision
- --- 3. thorough clinical tests to validate prototypes

#### OSTEOTOMY

Surgical inserts of different shapes and dimensions, short and long, curved and angled, designed to perform osteotomies with the utmost safety even in difficult to reach surgical sites.

- --- Saw thickness from 0.35 to 0.6 mm
- --- Osteotomy depth up 20 mm
- --- Shank length up to 10 cm



#### OSTEOPLASTY

Surgical inserts short and long, curved and angled, with sharp edges, for bone modeling and bone chip harvesting.

--- Shank length up to 10 cm



#### DRILLING

Surgical inserts to drill holes with very tight tolerance, minimizing the risk of bone necrosis.

---- Head diameters from 0.4 to 2.0 mm



#### → FINISHING


Surgical inserts of different shapes and dimensions, curved and angled, with heads of different shapes and with different diamond coatings, to finish the osteotomies in very delicate anatomies.



# ···· MECTRON EXPERIENCE

Since its introduction 15 years ago, PIEZOSURGERY® has proven its efficieny again and again – scientifically and clinically validated by countless publications.

Visit www.mectron.com. On our homepage you will not only find all literature references and further information on our devices, but also a complete list of congresses and courses we take part in.





#### → PRODUCTS

The Products section offers further information and technical details on Mectron's PIEZOSURGERY® equipment and surgical inserts provided.



#### → VIDEO

Clinical videos by the most renown surgeons in all fields (maxillofacial surgery, microsurgery, hand and foot surgery) are available on our website.

#### → EVENTS

The Events sections lists all courses and workshops where you can discover and experience Mectron's PIEZOSURGERY® technology. Information is available on courses and seminars as well as congresses featuring Mectron's own exhibition stand.





#### PIEZOSURGERY® - SCIENTIFICALLY AND CLINICALLY VALIDATED

#### BONE HEALING



The minimal postoperative pain appears remarkable; in the same direction, the first impression about the rapidity of recovery appears noteworthy: it results in a reduced necessity of postoperative medications, due to a lesser production of granulation tissue and, consequently, to the possibility to better foresee the stabilized result with important anatomical and functional implications.

Pirodda A., Raimondi M.C., Ferri G.G.
Piezosurgery in otology: a promising device but not always the treatment of choice. Eur Arch Otorhinolaryngol. 2012 Mar; 269(3):1059. doi: 10.1007/s00405-011-1841-2. Epub 2011 Nov 22.


#### ---> SAFETY



Piezosurgery proved to be a useful and safe technique for selective bone cutting and removal of osteophytes with preservation of neuronal and soft tissue in ACDF. In particular, the angled inserts were effective in cutting bone spurs behind the adjacent vertebra which cannot be reached with conventional rotating burs.

Grauvogel J., Scheiwe C., Kaminsky J. Use of Piezosurgery for removal of retrovertebral body osteophytes in anterior cervical discectomy. Spine J. 2014 Apr;14(4):628-36. doi: 10.1016/ j.spinee.2013.06.085. Epub 2013 Dec 4.

#### → BENEFITS



PS allows easy, safe and precise bone cutting with no injury to neurovascular tissue, such as dura, transverse or signoid sinus, brain, and cranial nerves. No complications were noted during the procedure. Due to the adsence of rotating power near neurovascular structures the drilling process was easy and confortable for the surgeon.

Grauvogel J., Grauvogel T.D., Kaminsky J. Piezosurgical lateral suboccipital craniectomy and opening of the internal auditory canal in the rat. J Neurosurg Sci. 2014 Mar;58(1):17-22.

#### PRECISION



Piezosurgery seems suitable to perform precise thin osteotomies while limiting damage to the bone itself and to the underlying delicate structures even in the case of unintentional contact. These advantages make the piezoelectric bonescalpel a particularly attractive instrument in neurosurgery.

lacoangeli M., Rienzo A.D., Nocchi N., Balercia P., Lupi E., Regnicolo L., Somma L.G., Alvaro L., Scerrati M. Piezosurgery as a Further Technical Adjunct in Minimally Invasive Supraorbital Keyhole Approach and Lateral Orbitotomy. J Neurol Surg A Cent Eur Neurosurg. 2015 Mar;76(2):112-8.

#### EASE



Piezoelectric osteotomy reduced surgical time, blood loss, and inferior alveolar nerve injury in bimaxillary osteotomy. Absence of macrovibrations makes the instrument more manageable and easy to use and allows greater intraoperative control with higher safety in cutting in difficult anatomical regions.

Bertossi D., Lucchese A., Albanese M., Turra M., Faccioni F., Nocini P., Rodriguez Y Baena R. Piezosurgery versus conventional osteotomy in orthognathic surgery: a paradigm shift in treatment. J Craniofac Surg. 2013 Sep;24(5):1763-6. doi: 10.1097/ SCS.0b013e31828f1aa8.



## 

| PIEZOSURGERY® MEDICAL HANDPIECE              | 03120127  | • | • |
|--|-----------|---|---|
| PIEZOSURGERY® MEDICAL + HANDPIECE            | 03120219  | • |   |
| PIEZOSURGERY® MEDICAL TORQUE WRENCH          | 02900080  | • | • |
| PIEZOSURGERY® MEDICAL + TORQUE WRENCH        | 02900116  | • |   |
| PIEZOSURGERY® MEDICAL L TORQUE WRENCH*       | 02900115  | • |   |
| IRRIGATION KIT SINGLE USE (BOX OF 10 UNITS)  | 03230008  | • | • |
| CART PIEZOSURGERY® MEDICAL                   | 03540009  | • | • |
|  | ROCEDURES |   |   |
| TRAY FOR PIEZOSURGERY® ACCESSORIES           | 04610005  | • | • |
| COVER FOR THE TRAY                           | 02080015  | • | • |
| CONTAINER FOR STERILIZATION                  | 02080016  | • | • |
| COVER FOR THE CONTAINER FOR STERILIZATION    | 02080017  | • | • |
| PAPER FILTER OUTER LENGTH (BOX OF 100 UNITS) | 00420008  | • | • |
| ADAPTOR FOR PIEZOSURGERY® MEDICAL HANDPIECES | 04610008  | • | • |
| FILTER FOR ADAPTOR                           | 04590006  | • | • |
|  |           |   |   |
| POWER-SUPPLY CABLE                           | 00050020  | • | • |
| PIEZOSURGERY® MEDICAL FOOTSWITCH             | 04620004  | • |   |
| PIEZOSURGERY® FLEX FOOTSWITCH                | 04620003  |   | • |
| PERISTALTIC PUMP                             | 03210006  | • |   |
| DRIP STANDS FOR SALINE BAG                   | 01380002  | • | • |
| CONNECTOR PROTECTION PIEZOSURGERY® MEDICAL   | 03150086  | • | • |





#### ----> PIEZOSURGERY® plus 05170003 → SURGICAL INSERTS PIEZOSURGERY® MEDICAL HANDPIECE 03120127 PIEZOSURGERY® MEDICAL HANDPIECE 03120127 **OSTEOTOMY** MT1-10 03600001 MT1S-10 03600007 MT1-20 03600002 MT2R-4 03600003 MT2L-4 03600004 MT3-8 03600005 03600006 MT3-20 UNIVR 03600008 03600010 MT4-10 + MT5-10 L 03600009 MP1 03610001 **OSTEOPLASTY** MP2 03610002 MP3-a30 03610003 MP4 + 03610007 MP5 L 03610008 MP6 L 03610009 DRILLING MD2-08 03620010 MD2-10 03620004 MD3-12 03620005 MD3-14 03620006 MD3-16 03620007 MD3-18 03620008 03630001 **FINISHING** MF1 03630002 MF2 03630003 MF3 MF4 03630004 03630005 MF5

MF6

03630006

mectron s.p.a., via Loreto 15/A, 16042 Carasco (Ge), Italia, tel +39 0185 35361, fax +39 0185 351374

### www.mectron.com – piezosurgery@mectron.com

© Copyright mectron S.p.A., Carasco, Italy
All rights reserved. Texts, pictures and graphics of mectron brochures are protected by copyright
and other protection laws. Without written approval of mectron S.p.A. the contents may not be
copied, distributed,changed or made available to third parties for commercial purposes.